



## Ella Table Specifications:

### Top Construction:

**Ella** features heavy duty 14 gauge columns in various diameters. Tables 60" and longer include steel support to prevent sagging. Special•T table tops are nominal 1-1/4" thick. Core is 1-1/8" thick 45# M3 industrial strength density particle board. The top surface is laminated with High Pressure Laminate (HPL) and the bottom is covered with a balance backer. Standard edges are T-mold and 3mm PVC. Other edges available\*

- Fancy Vinyl
- Fancy Vinyl with Flat Sides
- Wood
- PurTech Urethane
- PurTech Urethane with Flat Sides
- PurWood Urethane
- PurWood Urethane with Flat Sides

*\*Custom edges may not be available with all shapes and sizes.*

Web link: [http://www.specialt.net/tables/training\\_room\\_tables/165](http://www.specialt.net/tables/training_room_tables/165)



### Base Construction:

- Welded
- Base height: 27.75"
- Column diameter: 2", 2-3/8", 3" and 4"
- Mounting plate: 2" columns - 4" x 4" x 7/32" steel; 2-3/8", 3" and 4" - 6" x 6" x 7/32" steel
- Levelers: 1-3/8" diameter, allow additional adjustment for uneven floors
- Finish: powder coat
- Load capacity: 330 lbs. (200kg) vertical load rating per base

### Options:

- Folding - 2" columns
- Casters - 2" and 2-3/8" columns
- Bar height - 3" and 4" columns
- Modesty panel
- Grommets
- Wire management
- Table connectors



### Additional Information:

- For easy installation, tops are pre-drilled. Refer to the table below for leg positioning.
- **Ella** is available in various shapes and sizes.
- Tables with casters that will be used in conjunction with other tables require table connector for proper leveling.
- Standard lead time is 15 business days. Large orders may require additional time.



Compliant with  
BIFMA X7.1 Standard